

Republic of the Philippines Presidential Communications & Operations Office

NATIONAL PRINTING OFFICE

Edsa corner NIA North Road, Diliman, Quezon City Telephone and Fax No. 925-2192

E-mail Address: npo.bacsecretariat@gmail.com

REQUEST FOR QUOTATION

Date: November 27, 2018 PR.No.: 18-11-0772 (SVP) ABC: P998,100.00

Name of Company:	
Address:	
Business Permit No.:	
TIN No.:	
Contact Nos. [Landline/Cellphone No	s./Email Add]:

Please quote your best offer most beneficial to National Printing Office (NPO) for the item/s described below, subject to the Terms and Conditions provided at the dorsal portion of this request for quotation. Submit your quotation duly signed by you or your representative not later than <u>December 03, 2018 (3:00 PM)</u>.

Open quotations may be submitted, manually or through facsimile or email at the address and contact numbers indicated above.

ENGR. NEIL L. MACARAEG
BAC Chairman

TERMS AND CONDITIONS:

- 1. Bidders shall provide correct and accurate information required in this form.
- 2. Bidders may quote for any or all items.
- 3. Price quotation/s must be valid for a period of Thirty (30) calendar days from the date of submission.
- 4. Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
- 5. Quotations exceeding the Approved Budget for the Contract shall be rejected.
- 6. Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services), or best offer most beneficial to National Printing Office (NPO) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 7. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 8. The item/s shall be delivered within fifteen (15) calendar days from receipt of purchase order.
- 9. The NPO Inspectorate Group shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.
- 10. Liquidated damages equivalent to one tenth of one percent (0.001%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The NPO Inspectorate Group shall rescind the contract once the cumulative amount of the liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies open to it.
- 11. Bidders must also submit the following:
 - a. Current Mayor's Permit/Business License
 - b. Tax Clearance issued by BIR
 - c. Philgeps Certificate of Registration
 - d. Certified true copy of Latest Income/Business Tax Returns with proof of receipt from BIR
 - e. Omnibus Sworn Statement as prescribed by the GPPB with Notarized & photo copy attached of any government issued ID

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s for the item/s, as follows:

		Approved	OFFER							
ITEM DESCRIPTION	Quantit y (QTY)	Quantit Budget for the Contract		PRI	CE	Compliance with Technical Specifications		REMARKS		
			QTY	Unit Price	Total Price	Yes	No			
Supply delivery of Walk Through Metal Detector Inclusive of delivery charge, AVR & Installation & Commissioning & Training	2 sets	P998,100.00					[]			
Specifications: a) Operating Temperatures: 4F (-20C) to + 158F (70C) Humidity: to 95% noncondensing										
b) Power: Fully Automatic 100 to 240vac, 50 or 60 hertz, 55 watts, no rewiring, switching or adjustments required.										
c) Weatherproofing/ foreign Object Protection Standards: Meets IP 55, IEC Standard. " Degrees of Protection provided by										

	enclosures, "IEC				
	529.				
-11	7				
a)	Target Pinpointing				
	lights:				
	Thirty three (33)				
	distinct zones are				
	displayed with two				
	(2) independent				
	columns of LEDs				
	located on exitside				
	of PD6500i.				
e)	Programs:				
	Eighteen (18)				
	independent				
	•				
	programs designed				
	to meet all				
	installation specific				
	requirements				
	including ECAC				
	requirements for				
	European airports				
	and TSA				
	requirements for				
	U.S. airports				
f)	Multi-Unit and				
- /	Multi-Brand				
	Compatability:				
	2,300 selectable				
	operating				
	frequencies and				
	multiple channels				
	allow the PD 6500i				
	to operate in close				
	proximity to other				
	PD 6500is as well as				
	with non-garrett				
	walk-throughs.				

		I	1	1	1	,	
g)	Interference Suppression: Advance analog and digital filtering as well adjustable operating frequencies-eliminate the potencial effects from x-ray units, radios and other electrical interference sources.						
h)	Traffic Counter: Counter Tracks the number of patrons That have passed through the detector, the number of alarms and calculates alarm percentage						
i)	Random Alarm Feature: Provides ability to randomly alarm on a selected percentage of non- alarming persons, adjustable from 0 to 50 percent.						
j)	Alarms: Audible tone and volume adjustable, Bright LED visual						

		1				
	alarm					
k)	Pacing Lights:					
	International					
	symbols located at					
	the entrance					
i)	Tamper-Proof:					
,	All settings are					
	secured with a key					
	lock and two levels					
	of access codes,					
	Further security is					
	accomplished with					
	a cabinet lock					
	which prevents					
	unauthorized					
	access to physical					
	cables, connectors					
	and electronics					
m)	Control Outputs:					
	Solid state switches					
	(low voltage AC or					1
	DC) for operating					
	external alarms and					
	control devices					
	control devices					
n)	Construction:					
111)	Attractive scratch					
	and mar-resistant					
	laminate. Detection					
	Heads and Support,					
	Heavy Duty					
	aluminum					
0)	Warranty:					
	24 months, parts &					
	labor.					
						1

	1	1	 ,		
Delivery Period: 15 CD					
Signature over Printed Name					
Position in the Company					