

REPUBLIC OF THE PHILIPPINES NATIONAL PRINTING OFFICE BIDS AND AWARDS COMMITTEE



Telefax No. (02) 925-2192

E-mail Address: bacsecretariat@npo.gov.ph

REQUEST FOR QUOTATION

Date : March 31, 2025

Code: NPO-BAC-QUOT-028-25

PR.No.: 25-03-0118 (SVP) ABC : P 904,726.68

Name of Company:	
Address:	
Business Permit No.:	
TIN No.:	
Contact Nos. [Landline/Cellphone Nos./Email Add]:	

Please quote your best offer most beneficial to National Printing Office (NPO) for the item/s described below, subject to the Terms and Conditions provided at the dorsal portion of this request for quotation. Submit your quotation duly signed by you or your representative not later than **April 03, 2025 (5:00 PM)**.

Open quotations may be submitted manually, through facsimile, or via email at the address and contact numbers indicated above, accompanied with complete requirements.

ATTY. ARJAY C. LIN
BAC Chairperson

TERMS AND CONDITIONS:

et i

- 1. Suppliers shall provide correct and accurate information required in this form.
- 2. Suppliers may quote for the whole lot.
- 3. Price quotation/s must be valid for a period of thirty (30) calendar days from the date of submission.
- 4. Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
- 5. Quotations exceeding the Approved Budget for the Contract shall be rejected.
- 6. Award of contract shall be made to the lowest quotation (for goods and infrastructure) or, the highest rated offer (for consulting services), or the best offer most beneficial to National Printing Office (NPO) which complies with the minimum technical specifications and other terms and conditions stated herein.
- 7. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by you or any of your duly authorized representative/s.
- 8. Payment shall be made after the complete inspection and acceptance of delivery by NPO [end-user].
- 9. The item/s shall be delivered within ten (10) calendar days from receipt of purchase order.
- 10. The NPO Inspectorate Group shall have the right to inspect and/or right to test the goods to confirm their conformity to the technical specifications.
- 11. Liquidated damages equivalent to one tenth of one percent (0.001%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The NPO Inspectorate Group shall rescind the contract once the cumulative amount of the liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies available.
- 12. Suppliers shall also submit the following:
 - a. Valid PhilGEPS Registration Number.
 - b. Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Area (Certified True Copy of the Original).
 - c. Registration certificate from Securities and Exchange (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperative or its equivalent document (Certified True Copy of the Original).
 - d. Notarized original duly signed and updated Omnibus Sworn Statement (OSS) with attached Secretary's Certificate or Special Power of Attorney whichever is applicable and if warranted:
 - e. Latest Income/Business Tax Returns (Certified True Copy of the Original).
 - f. Tax Clearance per E.O No. 398 s.2005, as fully reviewed and approved by the BIR (Certified True Copy of the Original).
- 13. Failure to submit any of the required documents shall be a ground for outright disqualification.

Note: All notarized requirements shall bear a notarial seal from an MCLE VII or VIII compliant Notary Public, as applicable.

After having carefully read and accepted the Terms and Conditions, I/We submit our quotation/s for the item/s, as follows:

			OFFER					
ITEM DESCRIPTION	Quantity (QTY)	Approved Budget for the Contract (ABC)	PRICE		Compliance with Technical Specifications		REMARKS	
			QTY	Unit Price	Total Price	Yes	No	
One (1) Lot HVAC Unit	1 lot	P 904,726.68				[]	[]	
Refrigerant R-22	5 tanks	P 72,839.55						
Refrigerant R-32	4 tanks	P 48,937.16						
Refrigerant R-410A	7 tanks	P 92,763.30						
Rubber Insulation 5/8 x 1"	50 pieces	P 46,162.50						
Rubber Insulation 3/8 x 1"	50 pieces	P 37,363.41						
Rubber Insulation 1/2 x 1"	50 pieces	P 42,974.50						
Rubber Insulation 1/4 x 1"	50 pieces	P 36,981.00						
Copper tube Hard drawn "L type" 5/8	15 pieces	P 96,214.05						
Copper tube Hard drawn "L type" 1/2	15 pieces	P 66,756.75						
Copper tube Hard drawn "L type" 1/4	15 pieces	P 30,031.05						
Copper tube Hard drawn "L type" 3/8	15 pieces	P 42,081.60						
Refrigerant recovery unit with oil separator (See attached file for specs) (heavy duty)	1 unit	P 85,989.82						
Refrigerant Recovery Charging / Charge Scales (See attached file for specs) (heavy duty)	1 unit	P 33,971.38						
Refrigerant recovery tank (50 lbs)	2 tanks	P 98,955.66						

Nitrogen Tank (15 lbs) w/ adaptor	1 tank	P 14,045.58			,	
Wet & Dry Vacuum (16 Gal capacity) (See attached file for specs) (heavy duty)		P 58,659.28	-			

Signature over Printed Name
Position in the Company

Recovery Machine Specifications

- Description: A refrigerant recovery unit with an oil separator is used for the recovery of refrigerant HFC and HCFC.
- Refrigerants Category3: R-12, R-134a, R-401C, R-500
- Refrigerants Category 4: R-22, R-401A, R-401B, R-402B, R-407C, R-407D, R408A, R-409A, R-411A, R-411B, R-412A, R-502, R-509
- Refrigerants Category 5: R-402A, R-404A, R-407A, R-410A, R-507
- Power supply: 230/60 V/Hz
- Power:3/4 KM
- Motor Speed: 1450 rpm
- Maximum current draw: 4 A
- · Compressor: Oil-less, air-cooled, piston style
- Automatic safety shut-off: 38,5/3850 bar/kPa (558 psi)
- Recovery rate: Category III Vapor / Liquid / Push/pull:0,20 / 1,60 / 4,60 kg/min
- Recovery rate: Category IV Vapor / Liquid / Push/pull0,25 / 1,80 / 5,60 kg/min
- Recovery rate: Category V Vapor / Liquid / Push/pull0,25 / 2,20 / 6,30 kg/min
- Operating temperature: 0 ? 40 ?C
- Dimensions: 450 x 250 x 355 mm
- Weight: 14.2kg

Refrigerant Recovery Charging / Charge Scales Specifications

- Working weight range Max 50KG
- Resolution 2gr.
- Accuracy + 0.05%
- Refrigerant transmission accuracy + -20gr.
- Display LCD
- Power supply DC 9V + AC 230V
- Battery life Approx. 80 hours of operation
- Operating temperature -10C ° + 40C ° max. 75% humidity

Wet & Dry Vacuum Specifications

- 60 Liters / 16 Gallon
- 1390 Watts
- Drain Yes
- 6 m Power Cord
- 8.9 Kg.
- 2-64 mm Extension Wands (72902), Utility Nozzle (72907), Wet Nozzle (72912),
 Car/Blower Nozzle (72937), Locking Blower Wand Muffler/Diffuser (72927)
- Standard Filter (72947)

- 64 mm x 2.1 m Dual-Flex® Locking Hose
 Detachable Blower, Quick Release Cord Wrap, Accessory Storage, Caster Foot Accessory Storage

 230V IEC Compliant